

### **BioBotany**

Volume 1



## Only Book having Objective Questions framed line by line from the Text Book

**Dr., N.R.Laila Banu,** M.Sc., M.Phil.,Ph.D Assistant Professor, Department of Botany ST. Hindu College

Nagercoil.

Prof. V. Kumaresan, M.Sc., M.Phil Fellow in Indian Botanical Society, Formerly, Lecturer in Dept. of Botany, Vivekananda College Agasteeswaram, KK.Dt - 629 701.

Dr., Capt. N. Arumugam, M.Sc.,M.Phil.,Ph.D.,FZI,FIAES
Gold Medalist, Zoological Society of India,
Fellow, Indian Academy of Environmental Sciences,
Fellow, Zoological Society of India,
Principal and Head (Rtd.), Dept. of Zoology, Vivekananda College,
Agasteeswaram, Kanyakumari Dist - 629 701.

#### SARAS PUBLICATION

114/35G A.R.P. Camp Road, Periavilai, Kottar P.O., NAGERCOIL Kanyakumari Dist. - 629 002. Tamil Nadu Website: www.saraspublication.com E-mail: info@saraspublication.com

Telephone: 04652 - 265026 Cell: 098421 23441 Fax: 04652 265099 II

#### **Biobotany**

Copy right Publisher Published by Saras Publication, Nagercoil First Edition January: 2019, Second Edition May 2019.

All rights reserved.

No part of this book may be reproduced in any form, by photostat, microfilm, xerography or any other means, or incorporated into any information retrieval system, electronic or mechanical, without the written permission of the copyright owner.

ISBN:

Price: Rs. 160/-

**Pages: 320** 

Published by

#### **SARAS PUBLICATION**

114/35G,A.R.P. Camp Road, Periavilai,

Kottar P.O., Nagercoil,

Kanyakumari Dist -629 002. Telephone: 04652 265026

Fax: 04652 265099

Cell phone: 09842123441

Visit us: Website:www.saraspublication.com Contact us: E-mail: info@saraspublication.com

#### **Preface**

A student who has just entered the portals of higher studies in schools finds it difficult to understand the subjects taught to him. This difficulty is mainly due to his poor standard of English. While preparing this Book the authors had in mind this particular difficulty of our students. This Book is written in a very simple and easy style. It is up-to-date and exhaustive in covering the syllabus.

We are immensely thankful to the authors for their kind co-operation in preparing the Book. We are immensely thankful to Saras Printers and Binders, Sivakasi for neatly printing the book. Suggestions for the improvement of the book are always welcome.

# Why to Buy this Book

- This Book is written solely for **Examination** going Students.
- Examination oriented.
- Easy to Answer the Questions.
- Very Simple.
- Point by point description.
- Points are arranged sequentially.
- Hence easy to remember.
- High matter content.
- Neat Diagrams.
- Helps in Practical Examination.
- Helps in writing Observation Note Book.
- Helps in preparing Competitive Exams.
- Important topics are given as **Highlights**.

Every Life Science Student Must Buy and Keep One Copy of this Book V

### **Contents**

1. Living World	1-49
Book Back Solved Questions - 1 Mark	1-1
Additional Solved Questions - 1 Mark	1-5
Book Back Solved Questions - Descriptive	5-8
Additional Solved Questions: Very Short Answers - 2 Marks	8-14
Additional Solved Questions: Short Answers - 3 Marks	15-24
Additional Solved Questions: Long Answers - 5 Marks	24- 49
2. Plant Kingdom	50-81
Book Back Solved Questions - 1 Mark	50-50
Additional Solved Questions - 1 Mark	50-54
Book Back Solved Questions - Descriptive	54-55
Additional Solved Questions: Very Short Answers - 2 Marks	55-59
Additional Solved Questions: Short Answers - 3 Marks	59-64
Additional Solved Questions: Long Answers - 5 Marks	64-81
3. Vegetative Morphology	82-125
Book Back Solved Questions - 1 Mark	82-82
Additional Solved Questions - 1 Mark	82-86
Book Back Solved Questions - 1 Mark	86-88
Additional Solved Questions: Very Short Answers - 2 Marks	89-98
Additional Solved Questions: Short Answers - 3 Marks	99-115
Additional Solved Questions: Long Answers - 5 Marks	116-125
4. Reproductive Morphology	126-171
Book Back Solved Questions - 1 Mark	126-126
Book Back Solved Questions - 1 Mark	126-130
Book Back Solved Questions - 1 Mark	130-133
Additional Solved Questions: Very Short Answers - 2 Marks	133-152
Additional Solved Questions: Short Answers - 3 Marks	152-164
Additional Solved Questions: Long Answers - 5 Marks	165-171

VI

5. Taxonomy and Systematic Botany	172-208
Book Back Solved Questions - 1 Mark	172-172
Additional Solved Questions - 1 Mark	172-176
Book Back Solved Questions - Descriptive	176-179
Additional Solved Questions: Very Short Answers - 2 Marks	180-185
Additional Solved Questions: Short Answers - 3 Marks	185-196
Additional Solved Questions: Long Answers - 5 Marks	196-208
6. Cell: The Unit of Life	209-250
Book Back Solved Questions - 1 Mark	209-209
Additional Solved Questions - 1 Mark	210-213
Book Back Solved Questions - Descriptive	213-215
Additional Solved Questions: Very Short Answers - 2 Marks	216-220
Additional Solved Questions : Short Answers - 3 Marks	220-226
Additional Solved Questions: Long Answers - 5 Marks	226-250
7. Cell Cycle	251-274
Book Back Solved Questions - 1 Mark	251-252
Additional Solved Questions - 1 Mark	252-256
Book Back Solved Questions - Descriptive	257- 259
Additional Solved Questions: Very Short Answers - 2 Marks	259-261
Additional Solved Questions : Short Answers - 3 Marks	262-266
Additional Solved Questions : Long Answers - 5 Marks	266-274
8. Biomolecules	275-311
Book Back Solved Questions - 1 Mark	275-275
Additional Solved Questions - 1 Mark	275-281
Book Back Solved Questions - Descriptive	281-285
Additional Solved Questions: Very Short Answers - 2 Marks	285-293
Additional Solved Questions: Short Answers - 3 Marks	293-303
Additional Solved Questions: Long Answers - 5 Marks	304-311

## 2 Plant Kingdom

## **Book Back Solved Questions - 1 Mark**

1.	Whic	h of	the p	lant	group	has	game-
to	phyte	as a	dom	inan	t phase	?	

- a. Pteridophytes
- b. Bryophytes
- c. Gymnosperm
- d. Angiosperm
- 2. Which of the following represent gametophytic generation in pteridophytes?
  - a. Prothallus
- b. Thallus
- c. Cone
- d. Rhizophore

- 3. The haploid number of chromosome for an Angiosperm is 14, the number of chromosome in its endosperm would be
  - a. 7
- b. 14
- c. 42
- d. 28

## 4. Endosperm in Gymnosperm is formed

- a. At the time of fertilization
- b. Before fertilization
- c. After fertilization
- d. Along with the development of embryo

## Additional Solved Questions - 1 Mark

- 1. An example of colonial algae is
  - a. Chlorella
- b. Volvox
- c. Ulothrix
- d. Chlamydomonas
- 2. Double fertilization is exhibited by
  - a. Gymnosperms b. Bryophytes
  - c. Pteridophytes
  - d. Angiosperm
- 3. Naked seeds occur in

- a. Pteridophytes
- b. Bryophytes
- c. Gymnosperms
- d. Angiosperms
- 4. Most primitive vascular plants are
  - a. Kelps
- b. Mosses
- c. Cycads
- d. Ferns
- 5. Which one of the following group has seedless vascular plants?

- 1. (b) 2
  - 2. (a)
- 3. (c)
- 4. (b)
- 1. (b)
- 2. (d)
- 3. (c)
- 4. (d)

5. (a)

13. (c)

14. (d)

15. (a)

16. (c)

17. (b)

18. (d)

19. (a)

- 20. Female reproductive organ of bryophytes
  - a. Sporogonium
  - b. Archegonium
  - c. Oogonium d. Antheridium
- 21. Which plant group dominates land at present?
  - a. Bryophytes b. Pteridophytes
  - c. Gymnosperms
  - d. Angiosperms
- 22. Triple fusion occurs in
  - a. Bryophytes b. Angiosperms
  - c. Pteridophytes
  - d. Gymnosperms
- 23. Which of the following is grouped under phanerogam?
  - a. Gymnosperms
  - b. Angiosperms
  - c. Pteridophytes
  - d. Both (a) and (b)
- 24. Phycology is the study of
  - a. Algae
- b. Fungi
- c. Bacteria
- d. Bryophytes
- 25. Agar agar is obtained from
  - a. Chlorella
- b. Gracilaria
- c. Laminaria
- d. Sargassum
- 26. Algae which form motile colony is
  - a. Volvox
- b. Nostoc
- c. Spirogyra
- d. Chlamydomonas
- 27. Pyrenoids are the centre of formation of

- a. Enzymes b. Proteins
- c. Fats
- d. Starch.
- 28. Rhodophyceae is red coloured due to
  - a. Xanthophyll
  - b. Carotenoids
  - c. Phycoerythrin
  - d. Phycocyanin
- 29. Brown algae is characterised by the presence of
  - a. Phycocyanin
  - b. Phycoerythrin
  - c. Fucoxanthin d. Chlorophyll
- 30. Most primitive members of the plant group are
  - a. Algae
- b. Bryophytes
- c. Pteridophytes
- d. Gymnosperms
- 31. Chloroplast of chlamydomonas is
  - a. Stellate
- b. Cup-shaped
- c. Collar shaped d. Spiral
- 32. Match the column I with column II and select the correct option

#### Column I Column II

- A-Algae
- i) Marsilea
- B- Bryophyte
- ii) Pinus
- C-Pteridophyte iii) Oedogonium
- D- Gymnosperm iv) Riccia

#### **Options**

- a. A-iii, B-iv,C-i, D-ii
- b. A-iv, B-iii, C-ii, D-i
- c. A-iii, B-iv, C-ii, D-i
- d. A-iii, B-i, C-iv, D-ii
- 20. (b) 21. (d) 22. (b) 23. (d) 24. (a) 25. (b) 26. (a) 27. (d) 28. (c) 29. (c) 30. (a) 31. (b) 32. (a)

45 (b) 46. (a) 47. (d)

name the ——  34. The star shaped stele with solid xylem is known as ——  35. —— type of stele is present in monocots  36. In dicots which type of stele is present  a. atactostele b. Siphonostele c. Eustele d. Plectostele  57. The simplest green plants are  a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga?  a. Chlamydomonas	In oogamy, fertilization involves a. Alarge non-motile female gamete a small non-motile male gamete and hall non-motile male gamete c. A small non-motile female hete and a large motile male gamete d. A large non-motile female hete and a small motile male gamete which one of the following is a hil alga? a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa which one of the following has hap- hic life cycle? a. Funaria b. Fucus c. Volvox d. Angiosperms
34. The star shaped stele with solid xylem is known as ——  35. —— type of stele is present in monocots  36. In dicots which type of stele is present  a. atactostele b. Siphonostele c. Eustele d. Plectostele  37. The simplest green plants are  a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga?  a. Chlamydomonas	a small non-motile male gamete. b. A large motile female gamete and nall non-motile male gamete c. A small non-motile female gamete d. A large motile male gamete d. A large non-motile female gamete and a small motile male gamete which one of the following is a gil alga? a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa which one of the following has hap- gic life cycle? a. Funaria b. Fucus c. Volvox d. Angiosperms
xylem is known as ——  35. —— type of stele is present in monocots  36. In dicots which type of stele is present  a. atactostele b. Siphonostele c. Eustele d. Plectostele foss  37. The simplest green plants are a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  45.  39. Which of the following is a flagellated alga? a. Chlamydomonas	b. A large motile female gamete and hall non-motile male gamete c. A small non-motile female gamete dete and a large motile male gamete d. A large non-motile female gamete and a small motile male gamete which one of the following is a fil alga?  a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
35. — type of stele is present in monocots  36. In dicots which type of stele is present  a. atactostele b. Siphonostele c. Eustele d. Plectostele  37. The simplest green plants are  a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga?  a. Chlamydomonas	nall non-motile male gamete c. A small non-motile female nete and a large motile male gamete d. A large non-motile female nete and a small motile male gamete Which one of the following is a nil alga? a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa Which one of the following has hap- nic life cycle? a. Funaria b. Fucus c. Volvox d. Angiosperms
monocots  36. In dicots which type of stele is present  a. atactostele b. Siphonostele c. Eustele d. Plectostele  37. The simplest green plants are  a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga?  a. Chlamydomonas	c. A small non-motile female lete and a large motile male gamete d. A large non-motile female lete and a small motile male gamete. Which one of the following is a lalga?  a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa. Which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
36. In dicots which type of stele is present  a. atactostele b. Siphonostele c. Eustele d. Plectostele  37. The simplest green plants are  a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga?  a. Chlamydomonas	d. A large non-motile female lete and a small motile male gamete Which one of the following is a il alga?  a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa Which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
a. atactostele b. Siphonostele c. Eustele d. Plectostele foss  37. The simplest green plants are a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer? a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga? a. Chlamydomonas	which one of the following is a il alga?  a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa  Which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
a. atactostele b. Siphonostele c. Eustele d. Plectostele foss  37. The simplest green plants are a. Yeast b. Bacteria c. Algae d. Bryophytes  38. Which of the following is a nitrogen fixer? a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga? a. Chlamydomonas	Which one of the following is a il alga?  a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa Which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
c. Eustele d. Plectostele foss  37. The simplest green plants are  a. Yeast b. Bacteria c. Algae d. Bryophytes  44. Yeast b. Anabaena gen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon  39. Which of the following is a flagellated alga? a. Chlamydomonas	il alga?  a. Hepaticites b. Palaeoporella c. Calamites d. Medullosa  Which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
a. Yeast b. Bacteria c. Algae d. Bryophytes 44. Yeast 38. Which of the following is a nitrogen fixer? a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon 45. 39. Which of the following is a flagellated alga? a. Chlamydomonas	c. Calamites d. Medullosa  Which one of the following has hapic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
c. Algae d. Bryophytes 44. 38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon 45. 39. Which of the following is a flagellated alga?  a. Chlamydomonas	Which one of the following has hap- ic life cycle? a. Funaria b. Fucus c. Volvox d. Angiosperms
38. Which of the following is a nitrogen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon 45. 39. Which of the following is a flagellated alga? a. Chlamydomonas	ic life cycle?  a. Funaria b. Fucus c. Volvox d. Angiosperms
gen fixer?  a. Ulothrix b. Anabaena c. Ulva d. Hydrodictyon 45.  39. Which of the following is a flagel- lated alga? a. Chlamydomonas	<ul><li>a. Funaria</li><li>b. Fucus</li><li>c. Volvox</li><li>d. Angiosperms</li></ul>
<ul> <li>a. Ulothrix</li> <li>b. Anabaena</li> <li>c. Ulva</li> <li>d. Hydrodictyon</li> <li>45.</li> <li>39. Which of the following is a flagellated alga?</li> <li>a. Chlamydomonas</li> </ul>	c. Volvox d. Angiosperms
c. Ulva d. Hydrodictyon 45.  39. Which of the following is a flagellated alga?  a. Chlamydomonas	<b>6</b> 1
39. Which of the following is a flagellated alga?  a. Chlamydomonas	
a. Chlamydomonas	In which of the following plants
a. Chlamydomonas	netophytic phase is dominant?
. ~ .	a. Fern b. Moss
U. Spirozyia an	c. Angiosperms d. Cycas
c. Acetabularia d. Chlorella	Which is not a monocot?  a. Rose  b. Palm
40. Alginic acid is obtained from	c. Orchid d. Banana
	First vascular plants are
c. Diatoms d. Brown algae.	a. Thallophyte b. Bryophyte
41. Non-motile, thick walled spores of	c. Spermatophyte
algae are called	d. Pteridophyte
a. Bulbils b. Akinetes 48.	During fertilization in ferns, male
c. Tubers gam	nete reaches the female gamete
d. Hypnospores thro	ugh the agency of

48. (b)



- a. Wind
- b. Water
- c. Insects
- d. Chemicals
- 49. Vessels and companion cells occur in
  - a. Angiosperms
  - b. Gymnosperms
  - c. Pteridophytes d. Bryophytes
- 50. The most common mode of reproduction in spirogyra is
  - a. Conjugation
  - b. Spore formation
  - c. Fragmentation
  - d. All the above

## **Book Back Solved Questions - Descriptive**

5. Differentiate haplontic and diplontic life cycle.

Haplontic	Diplontic
1. Haploid gametophyte (n) is	1. Diploid sporophyte (2n) is
dominant.	dominant.
2. No distinct sporophytic thallus.	2. Vegetative thallus is the dip-
	loid sporophyte.
3. The zygote undergoes <i>meiotic</i>	3. The zygote undergoes <i>mitotic</i>
division.	division
4. Gametophyte produces <i>gametes</i>	4. Sporophyte produces <i>gametes</i>
by <i>mitosis</i> .	by <i>meiosis</i> .
Eg. Volvox, Spirogyra	Eg. Fucus, Gymnosperms

- 6. What is plectostele? Give example.
- 1. Xylem plates alternate with phloem plates.
  - 2. It is a type of *protostele*.

Eg. Lycopodium clavatum

- 7. What do you infer from the term pycnoxylic?
- 1. The term pycnoxylic refers to *pycnoxylic wood*.
  - 2. It is *compact strong wood*.
- 3. *Large* amount of *xylem tracheids* or wood is present.
- 4. *Small* amount of *cortex* and *pith* with little parenchyma.

- 5. Medullary ray layer is narrow.
- 6. It is *durable* and yields timber.
- 7. It is seen in gymnosperms formed as a result of *secondary growth*.

Eg. Pinus

- 8. Mention two characters shared by gymnosperms and angiosperms.
  - 1. Presence of *roots*, *stem* and *leaves*.
- 2. *Polyembryony* (many embryos) is present.
- 3. The *sporophytic phase* is *dominant* and *gametophytic* phase is *highly reduced*.
  - 4. Presence of *cambium*.

49. (a) 50. (c)

9. Do you think shape of chloroplast is unique for algae? Justify your answer?

**Yes**, shape of chloroplast is unique for algae.

#### **Justification**

There is *variation* in the shape of the chloroplast in algae. They are:

#### Algae **Chloroplast shape**

- 1. Chlamydomonas Cup shaped
- 2. Chara - Discoid
- 3. Ulothrix - Girdle shaped
- 4. Oedogonium - Reticulate
- 5. Spirogyra - Spiral
- 6. Zygnema - Stellate

- Plate-like 7. Mougeotia
- 10. Do you agree with the statement 'Bryophytes need water fertilization'? Justify your answer.

Yes, bryophytes need water for fertilization.

#### **Justification**

- 1. The antheridium produces motile, flagellate antherozoids.
- 2. Antherozoids reach the archegonium by swimming, to fuse with the egg.
- 3. So, water is essential for fertilization in bryophytes.

### Additional Solved Questions: Very Short Answers - 2 Marks

classified?

The kingdom plantae is divided into two subkingdoms

- 1. Cryptogamae
- 2. Phanerogamae
- 2. How is Cryptogamae classified?

The subkingdom Cryptogamae is divided into 3 divisions.

- 1. Algae
- 2. Bryophytes
- 3. Pteridophytes
- 3. How is subkingdom Phanerogamae classified?

The subkingdom Phanerogamae is divided into 2 divisions:

- 1. Gymnospermae
- 2. Angiospermae

1. How is the Kingdom Plantae 4. What are the two divisions of Embryophyta?

> The subkingdom Embryophyta is divided into two phyla namely:

- 1. Bryophyta
- 2. Tracheophyta
- 5. How is phylum Tracheophyta classified?

The phylum Tracheophyta is classified into two subdivisions namely,

- 1. Pteridophyta
- 2. Spermatophyta
- 6. What are the two divisions of Subkingdom Spermatophyta?
  - 1. Gymnospermae
  - 2. Angiospermae
- 7. What do you mean by alternation of generation?

The *alternation* of the *haploid gametophytic phase* (n) with diploid sporophytic phase (2n) during the life cycle.

8. Who is the Father of Indian Phycology?

M.O.Parthasarathy is the father of Indian Phycology.

9. Which algae grow in salt pans?

*Halophytic algae* grow in salt pans. Eg. *Dunaliella salina* 

- 10. What are cryophytic algae?
  - ♦ Algae growing in *snow*.
  - ♦ Eg. Chlamydomonas nivalis
- 11. What are epiphytic algae?
- ♦ Algae growing on the *surface* of *other aquatic plants*.
  - ◆ Eg. Coleochaete, Rhodymenia
- 12. What are pyrenoids?
- 1. *Proteinaceous bodies* found in chromatophores.
- 2. They assist in the *synthesis* and *storage* of *starch*.
- 13. What is binary fission?
- 1. The *division* of the parent cell into *two* daughter cells.
- 2. It is a type of *vegetative reproduction* in algae.

Eg. Chlamydomonas

- 14. What is budding?
- 1. The *lateral outgrowth* of the parent body.
- 2. It is a type of *vegetative reproduction* in algae. Eg. *Protosiphon* 15. What are bulbils?

- 1. Wedge shaped, modified branches which grow into new plants.
- 2. They are produced during *vegetative reproduction* in algae.

Eg. Sphacelaria

- 16. What are aplanospores?
  - 1. *Thin walled, non-motile* spores.
- 2. They are produced during *asexual reproduction* in algae.

Eg. Vaucheria

- 17. What are autospores?
- 1. **Non-motile** spores which are similar to parent cell.
- 2. They are produced within a parent cell during asexual reproduction in algae. Eg. Chlorella
- 18. What is a hypnospore?
- 1. A *thick walled aplanospore* which is non-motile.
- 2. It is produced during *asexual reproduction* in algae.

Eg. Chlamydomonas nivalis

- 19. What are zoospores?
- 1. *Motile, naked* spores with two or more *flagella*.
- 2. They are formed within the zoosporangium.
- 3. They are formed during *asexual* reproduction in algae.

Eg. Cladophora

- 20. What are tetraspores?
- 1. A group of four *haploid* spores formed as a result of meiosis.
- 2. They *occur in group of four*, two of which produce male plants and two female plants.

Eg. Polysiphonia

- 21. Which algae are cultivated in sea for phycocolloid production?
  - 1. Kappaphycus alvarezii
  - 2. Gracilaria edulis
  - 3. Gelidiella acerosa
- 22. What are the sources in algae for alginate, agar agar and carrageenan?
  - 1. Algin
- 2. Polysulphate esters of polysaccharides
- 23. What are bryophytes?
- 1. Bryophytes are simplest, first *land inhabiting cryptogams* and are restricted to moist, shady habitat.
- 2. They are most primitive plant groups descended from *algae-like* ancestors.
- 3. They are called 'non-vascular cryptogams' and also as 'amphibians of plant kingdom'.
- 24. Why are bryophytes called non-vascular cryptogams?
- 1. Bryophytes *lack vascular tissues*, like *xylem* and *phloem*. So, they are called *non-vascular*.
- 2. They do *not* produce *flowers* and seeds. So, they are called *cryptogams*.
- 25. What is heterologous alternation of generation?

The alternation of the *haploid gametophyte* phase with the *diploid sporophyte* is called heterologous alternation of generation.

26. What is exoscopic embryogeny?

- 1. Embryogeny in which, the *first division* of the zygote is *transverse* and the *apex* of the embryo develops from the *outer cell*.
- 2. It is typical for the Bryophyta. 27. Give the names of two saprophytic bryophytes.
  - 1. Buxbaumia aphylla
  - 2. Cryptothallus mirabilis
- 28. What are pteridophytes?
- 1. Pteridophytes are vascular cryptogams and first true land plants.
- 29. Why pteridophytes are called vascular cryptogams?
- 1. Pteridophytes contain vascular tissues such as *xylem* and **phloem.** So, they are called *vascular*.
- 2. They do *not* produce flowers or seeds. Hence, they are called *cryptogams*.
- 30. What is apogamy?
- 1. **Development** of an **embryo** from the **diploid cell without fertilization**.
- 2. In ferns, *sporophyte* is formed from *gametophyte without* the *fusion of gametes*.
- 31. What is apospory?

Development of diploid *gametophyte* directly *from* the *sporophyte* without the formation of spores.

- 32. What is meant by homosporous? Production of *one type of spores*. Eg. *Lycopodium*
- 33. What is meant by heterosporous? Production of *two different types of spores*. They are:

- 1. Microspore
- 2. Megaspore Eg. *Selaginella*.
- 34. Define bioremediation.

The use of living organisms, mostly micro-organisms and plants to remove pollutants such as heavy metals from the soil. Eg. Pteris vittata 35. Define stele.

Stele is the *central* cylinder of *vascular tissues*.

It consists of

- 1. Xylem
- 4. Medullary rays
- 2. Phloem
- 5. Pith
- 3. Pericycle
- 36. What are the two main types of stele?
  - 1. Protostele
  - 2. Siphonostele
- 37. What is protostele?

The stele in which *phloem* surrounds xylem without pith is the protostele.



Fig.2.1: Protostele

- 38. What are the different types of protostele?
  - 1. Haplostele 3. Plectostele
  - 2. Actinostele 4. Mixed protostele
- 39. What is haplostele? Give example.

A type of *protostele* in which xylem is *surrounded* by *phloem*.

Eg. Selaginella

- 40. Define actinostele. Give example.
- 1. Star shaped *xylem* core is *surrounded* by *phloem*.
  - 2. It is a type of *protostele*.

Eg. Lycopodium serratum



Fig.2.2: Actinostele.

- 41. What is mixed protostele? Give example.
- 1. Xylem groups are uniformly scattered in the phloem.
  - 2. It is a type of *protostele*.

Eg. Lycopodium cernuum

- 42. What are the three types of solenostele?
  - 1. Ectophloic solenostele
  - 2. Amphiphloic solenostele
  - 3. Dictyostele
- 43. What is polycyclic stele? Give examples.
- 1. The vascular tissues are present in the form of two or more *concentric cylinders*.
  - 2. It is a type of *siphonostele*.
- 3. Xylem is surrounded by phloem.

Eg. Pteridium

- 44. What is amber?
- 1. A *transparent* plant secretion produced by the gymnosperm, *Pinites succinifera*.
- 2. It is an efficient *preservative* that does not get degraded easily.

- 3. So, it can *preserve* remains of *extinct* life forms.
- 45. Which gymnosperm yields the resin Canada balsam and what is its use?
- 1. Abies balsamea yields **Canada** balsam.
- 2. It is used as *mounting medium* in permanent slide preparation.
- 46. Give an account of the medicinal uses of gymnosperms.
- 1. Taxus brevifolia yields taxol which is a drug used for cancer treatment.
- 2. Ephedra gerardiana yields ephedrine which is used for the treatment of asthma and bronchitis.
- 47. Which gymnosperms are used to make paper?
  - 1. Pinus roxburghii
  - 2. Picea smithiana
- 48. Name some gymnosperms used as ornamental plants or for floral decoration.
  - 1. Thuja 2. Cupressus


- 3. Araucaria 4. Cryptomeria49. Give short notes on the fossil park in Tiruvakkarai.
- 1. The *National Wood Fossil Park* is situated in *Tiruvakkarai*, *Villupuram* district, *Tamil Nadu*.
- 2. The park contains petrified wood fossils that are approximately **20** million years old.
- 50. What do you mean by 'form genera'?
- 1. Form genera is used to name the *fossil plants*.
- 2. The *whole plant* is *not* recovered as fossils.
- 3. The *organs* or *parts* of the *extinct plants* are obtained as *fragments*.
- 51. Give the names of the new algae reported by Dr. Parthasarathy
  - 1. Fritschiella
  - 2. Ecballocystopsis
  - 3. Charasiphon
  - 4. Cylindrocapsopsis

### Additional Solved Questions: Short Answers - 3 Marks

- 1. Give names of some eminent algologists.
  - 1. F. E. Fritsch
  - 2. F. E. Round
  - 3. R. E. Lee
  - 4. M. O. Parthasarathy
  - 5. M. S. Randhawa
  - 6. Y. Bharadwaja

- 7. V. S. Sundaralingam
- 8. T. V. Desikachary
- 2. What is fragmentation?
- 1. The *fragments* of parent thallus grow into new individual.
- 2. It is a type of *vegetative reproduction* in algae.

Eg: Spirogyra



*Fig.2.3: Fragmentation-Spirogyra* 3. Write about the total number of plant groups in the World and India?

Plant	Number of	
group	known	species
	World	India
Algae	40,000	7,357
Bryophytes	16,236	2,748
Pteridophytes	12,000	1,289
Gymnosperms	1,012	79
Angiosperms	2,68,600	18,386

#### 4. What are akinetes?

- 1. Non-motile, thick walled spores of algae.
- 2. They are produced during *vegetative reproduction* in algae.
- 3. They are produced during unfavourable conditions.
- 4. They serve as *perennating* structures.

Eg. Pithophora

#### 5. What are tubers?

- 1. Tubers are structures found on the *rhizoids* and the *lower nodes*.
  - 2. They *store food* materials.

3. They are produced during *vegetative reproduction* in algae.

Eg. Chara

#### 6. What is isogamy?

- 1. The *fusion* of *morphologically* and *physiologically similar gametes*.
- 2. It is a type of *sexual* reproduction.

Eg. Ulothrix




Fig.2.4: Isogamy

#### 7. What is an anisogamy?

- 1. The fusion of either morphologically or physiologically dissimilar gametes.
- 2. It is a type of *sexual* reproduction in algae.

Eg. Pandorina




Fig.2.5: Anisogamy

#### 8. What is oogamy?

- 1. The fusion of both morphologically and physiologically dissimilar gametes.
- 2. It is a type of *sexual* reproduction in algae.

Eg. Sargassum



Fig.2.6: Oogamy

- 9. How is algae useful in healthcare?
- 1. Kelps, which are large brown algae are rich sources of iodine.
- 2. *Chlorella* is used as *single cell protein* (SCP).
- 3. *Chlorella* is also used in the production of *antibiotic*, *chlorellin*.
- 4. **Dunaliella salina** provides  $\beta$ -carotene.
- 5. Chondrus crispus are used as blood coagulant.
- 10. What are the contributions of M.O.Parthasarathy?
- 1. M.O.Parthasarathy is the *father* of *Indian Phycology*.
- 2. He conducted research on following algal characters.
  - \* Structure \* Reproduction
  - \* Cytology \* Taxonomy
- 3. He published a *Monograph on Volvocales*.
- 4. He reported the following algal forms:
  - 1. Fritschiella
  - 2. Ecballocystopsis
  - 3. Charasiphon
  - 4. Cylindrocapsopsis
- 11. Bryophytes are called amphibians of plant kingdom Why?

- 1. Amphibians are those organisms which live in *both*, *land* and *water*.
- 2. Bryophytes live in soil, but they *need water* for *sexual reproduction*.
- 3. Antherozoids are flagellated and need water to swim to the eggs. So, bryophytes are called amphibians of plant kingdom.
- 12. Write short notes on rhizoids in Bryophytes
- 1. Rhizoids are the *filamentous*, *root like* structures seen in Bryophytes.
- 2. They may be *unicellular* or *multicellular*.
- 3. Rhizoids are of *two* kinds namely,
  - 1. Smooth walled or simple rhizoids
- 2. Pegged or tuberculated rhizoids

Eg. Marchantia.

- 4. They fix the thallus to the substratum.
- 13. Describe the plant body in mosses
  - 1. Plant body is the *thallus*.
  - 2. It is the *gametophyte*.
  - 3. It is *haploid*.
  - 4. It is *erect* with central axis.
  - 5. It consists of the following parts
    - 1. Stem 3. Rhizoids
    - 2. Leaf
- 14. How did Proskauer classify Bryophytes?

Proskauer classified Bryophytes into **three** classes.

1. Hepaticopsida - Riccia, Marchantia, Porella, Riella

- 2. Anthocerotopsida Anthoceros, Dendroceros
- 3. Bryopsida Funaria,
  Polytrichum and Sphagnum
  15. Give an account of the contribution of Shiv Ram Kashyap.
- 1. Shiv Ram Kashyap the *Father* of *Indian Bryology*.
- 2. He published a book 'Liverworts of Western Himalayas and Punjab plains'.
  - 3. He identified new genera like
    - 1. Atchinsoniella
    - 2. Sauchia
    - 3. Sewardiella
    - 4. Stephansoniella
- 16. Give a brief account of the classification of Pteridophytes by Reimer


The Pteridophytes are divided into *five* subdivisions:

- 1. Psilophytopsida
- 2. Psilotopsida
- 3. Lycopsida
- 4. Sphenopsida
- 5. Pteropsida

There are 19 orders and 48 families in this classification.

- 17. What is siphonostele? What are the different types of siphonostele?
- In siphonostele, *xylem* is *surrounded* by *phloem with pith* at the centre.
  - The different types are:
    - 1. Ectophloic siphonostele
    - 2. Amphiphloic siphonostele
    - 3. Solenostele
    - 4. Eustele

- 5. Atactostele
- 6. Polycyclic stele
- 18. What is ectophloic siphonostele? Give example.
- 1. The *phloem* is restricted *only* on the *external side* of the *xylem*.
  - 2. **Pith** is in the **centre**.
  - 3. It is a type of *siphonostele*. Eg. *Osmunda*



- Fig.2.7: Ectophloic siphonostele 19. What is amphiphloic siphonostele? Give example.
- 1. *Phloem* is present on *both* the external and internal *sides* of *xylem*.
  - 2. The *pith* is seen in the *centre*. Eg. *Marsilea*



*Fig.*2.8: *Amphiphloic siphonostele* 20. What is solenostele? Give example.

- 1. The stele is *perforated* at a place or places corresponding the origin of the leaf trace.
  - 2. It is a type of *siphonostele*. Eg. *Adiantum*



Fig.2.9: Solenostele

21. What is ectophloic solenostele?

- 1. *Xylem* is surrounded by *phloem* only on one side.
  - 2. **Pith** is in the **centre**.
- 3. *Stele* is *perforated* at the region of the origin of the leaf trace.
- 4. It is a type of *solenostele* of siphonostele.

Eg. Osmunda

- 22. What is amphiphloic solenostele?
- 1. *Phloem* is present on *both* the external and internal sides of the xylem.
  - 2. *Pith* is in the *centre*.
  - 3. Stele is perforated.
- 4. It is a type of solenostele of siphonostele. Eg. *Adiantum pedatum*
- 23. Define dictyostele.
- 1. The stele is *separated* into several *vascular strands*.
- 2. Each *vascular strand* is called *meristele*.
- 3. It is a type of solenostele of siphonostele.

Eg. Adiantum capillus-veneris




Fig.2.10: Dictyostele

- 24. What do you mean by atactostele?
- 1. The stele is *split* into *distinct collateral vascular bundles* and are *scattered* in the ground tissue.
  - 2. It is a type of siphonostele.
- 3. Xylem and phloem lie in the *same* radius.

4. The vascular bundles are *scattered* in the ground tissue.

Eg. Monocot stem



Fig.2.11: Atactostele

- 25. What do you infer from the term manoxylic?
  - 1. Manoxylic refers to *manoxylic wood*.
  - 2. It is a *porous*, *soft* wood.
- 3. *More parenchyma* is present. *Medullary rays* are *wide*.
  - 4. Seen in *Gymnosperms*
  - 5. It has *secondary growth*. Eg. Cycas.
- 26. Name some of the fossil rich sites of India.
  - 1. Tamil Nadu -1. National wood fossil park, Tiruvakkarai 2. Ariyalur park
  - 2. Himachal Pradesh Siwalik fossil park
  - 3. Madhya Pradesh Mandla fossil
  - 4. Jharkand Rajmahal Hills

park

- 27. Briefly give an account of the contribution of Prof. Birbal Sahni.
- 1. **Prof. Birbal Sahni** is called the **Father of Indian Palaeobotany**.
- 2. He described fossil plants from Rajmahal Hills of Eastern Bihar.



- 3. The *form genera* described by him are,
  - 1. Pentoxylon sahnii

2. Nipanioxylon

4. Birbal Sahni Institute of Paleobotany is located in Lucknow.

28. Distinguish between manoxylic and pycnoxylic wood.

Manoxylic	Pycnoxylic
1. Non-compact wood, porous, soft.	1. <i>Compact</i> wood
2. Large amount of parenchyma.	2. Large amount of xylem.
3. Large pith.	3. <i>Small</i> amount of cortex
	and <i>pith</i> .
4. Not durable.	4. <i>Durable</i> and yields timber.
Eg. Cycas	Eg. Pinus

- 29. Justify the reasons for the success and dominance of vascular plants.
  - 1. Extensive root system.
- 2. Efficient *conducting tissues* i.e., xylem and phloem.
- 3. The presence of *cuticle* in the epidermis helps to *prevent desiccation*.
- 4. Stomata help in effective gaseous exchange.

### Additional Solved Questions: Long Answers - 5 Marks

- 1. Define haplontic life cycle. Explain
- 1. Dominant haploid gametophyte alternates with the diploid sporophyte.
- 2. It is *photosynthetic* and *independent*.
- 3. Sporophytic phase is represented by the zygote which is diploid (2n)




Fig.2.12: Haplontic life cycle

- 4. Zygote undergoes meiosis.
- 5. Thus, haploid condition is restored.

Eg. Volvox, Spirogyra

- 2. Describe diplontic life cycle
- 1. *Diploid sporophytic* phase is *dominant* and it *alternates* with *gametophytic phase* which is represented by the single to few celled gametophyte.
- 2. It is *photosynthetic* and *independent*.
- 3. During gamete formation, *meiosis* takes place.
- 4. The *gametes* fuse to form *zygote* (2n).

5. Zygote undergoes *mitotic* division and develops into sporophyte.

Eg. Fucus, Gymnosperms and Angiosperms.




Fig.2.13: Diplontic life cycle.

- 3. Describe haplodiplontic lifecycle
- 1. Haploid phases and diploid phases are dominant and they alternate with each other.
- 2. *Diploid* sporophyte cells (2n) undergo meiosis to produce haploid (n) spores.
- 3. Each spore divides *mitotically* and develop into a multicellular haploid gametophyte (n).

Eg. Bryophytes, pteridophytes.

In Bryophytes, gametophyte (n) is sporophyte (2n) is dominant, multicellular which is totally or partially dependent on gametophyte.




Fig.2.14: Haplodiplontic life cycle.

In *pteridophytes*, *sporophyte* (2n) is dominant. Gametophyte (n) is independent and multicellular.

4. Give an account of the occurrence of algae?

Algae	Habitat
1. Gracilaria,	
Sargassum	- Marine
2. Oedogonium,	
Ulothrix	- Freshwater
3. Fritschiella,	
Vaucheria	- Soil
4. Chlorella	- Live in Hydra
	and Sponges
	(endozoic)
5. Cladophora	- Shells of
crispata	molluscs
6. Dunaliella sali	ina
(Halophytic alg	rae) - Salt pans
7. Chlamydo-	
monas nivalis	- Snow covered

mountains 8. Coleochaete, Rhodymenia - Surface of aquatic plants (epiphytic algae)

- 5. Write an account of the salient features of algae.
- 1. Algae are simple *chlorophyll* bearing thallophytes.
  - 2. They are *autotrophs*
- 3. They grow in a wide range of habitats
- \* Marine Gracilaria and Sargassum
- \* Freshwater Oedogonium and **Ulothrix**



- \* Soil Fritschiella and Vaucheria
- 4. They are *adapted* to thrive in *harsh environment* too.
- 5. Algae growing in snow are called *Cryophytic algae*.
- 6. Algae grow on the *surface* of *aquatic plants* and are called *epiphytic* algae.
- 7. Sex organs are either *unicellular* or *multicellular* and not protected by sterile envelop.
- 8. Algae are included in the *kingdom Plantae* and are *eukaryotes* except blue green algae.
- 9. The plant body *does not* show *differentiation* into *tissue system*.
- 10. The **cell wall** of algae is made up of *cellulose* and *hemicellulose*.
- 11. In *diatoms*, *siliceous walls* are present.
- 12. In *Chara*, the *thallus* is covered with *calcium carbonate*.
- 13. Some algae possess algin, polysulphate esters of polysaccharides.
- 14. Membrane bound *nucleus* is *present*.
- 15. *Cell organelles* like chloroplast, mitochondria, endoplasmic reticulum, golgi bodies, etc. are present.
  - 16. Pyrenoids are present.
- 17. The following characters differ among the algal groups:
  - ◆ Pigmentation
  - ♦ Reserve food material
  - ◆ Flagellation

- 18. Algae reproduce by *vegetative*, *asexual* and *sexual* methods.
- 19. Vegetative reproduction includes
  - 1. Fission
- 4. Bulbils
- 2. Fragmentation 5. Akinetes
- 3. Budding
- 6. Tubers
- 20. Asexual reproduction takes place by the production of
  - 1. Zoospores
  - 2. Aplanospores
  - 3. Autospores
  - 4. Hypnospores
  - 5. Tetraspores
- 21. Sexual reproduction is of *three* types:
  - 1. Isogamy 3. Oogamy
  - 2. Anisogamy
- 22. Life cycle may be *haplontic*, *diplontic* or *haplodiplontic*.
- 6. Describe the thallus organisation in algae.
  - 1. Unicellular motile
    - Chlamydomonas
  - 2. Unicellular non-motile
    - Chlorella
  - 3. Colonial motile
    - Volvox
  - 4. Colonial non-motile
    - Hydrodictyon
  - 5. Siphonous
    - Vaucheria
  - 6. Unbranched filamentous
    - Spirogyra
  - 7. Branched filamentous
    - Cladophora




Fig.2.15: Thallus organization in Algae

- 8. Discoid
  - Coleochaete
- 9. Heterotrichous
  - Fritschiella
- 10. Foliaceous
  - Ulva
- 11. Giant kelp
  - Macrocystis, Laminaria
- 7. Write short notes on algal classification by Fritsch.
- 1. **F. E. Fritsch** proposed a classification for algae based on the following characteristics:

- 1. Pigmentation
- 2. Types of flagella
- 3. Nature of reserve food materials
  - 4. Thallus structure
  - 5. Reproduction
- 2. The classification was published in the book, 'The structure and reproduction of the algae' in 1935
- 3. Algae was classified into *11 classes*. They are :
  - 1. Chlorophyceae
  - 2. Xanthophyceae

- 3. Chrysophyceae
- 4. Bacillariophyceae
- 5. Cryptophyceae
- 6. Dinophyceae
- 7. Chloromonadineae
- 8. Euglenophyceae
- 9. Phaeophyceae
- 10. Rhodophyceae
- 11. Cyanophyceae
- 8. Give an account of the salient features of Chlorophyceae.
- 1. Chlorophyceae is a class of *green algae* bearing *green* Chlorophyll *pigment*.
- 2. The members of this class are commonly called *green algae*.
- 3. Most of the species are *aquatic*, but a *few* are *terrestrial*.
  - 1. Freshwater Spirogyra
  - 2. Marine Ulva
  - 3. Terrestrial Trentepohlia
- 4. The chloroplasts are seen in different shapes.
  - 1. Cup-shaped
    - Chlamydomonas
  - 2. Discoid Chara
  - 3. Girdle-shaped
    - Ulothrix
  - 4. Reticulate- Oedogonium
  - 5. Spiral Spirogyra
  - 6. Stellate Zygnema
  - 7. Plate-like- Mougeotia
- 5. *Chlorophyll 'a'* and *chlorophyll* 'b' are the major photosynthetic pigments.
- 6. *Storage* bodies called *pyrenoids* are present.

- 7. Reserve food material is *starch*.
- 8. The *cell wall* is made up of an *outer* layer of *pectin* and an *inner* layer of *cellulose*.
- 9. *Vegetative reproduction* takes place by means of *fragmentation*.
- 10. **Asexual reproduction** is by the production of the following
  - 1. Zoospores
  - 2. Aplanospores
  - 3. Akinetes
- 11. *Sexual* reproduction is *present*. It may be
  - 1. Isogamous
  - 2. Anisogamous
  - 3. Oogamous

Eg. \* Chlorella

- \*\* *Ulothrix*
- **\*** Chlamydomonas **\*** Chara
- \* Volvox
- \* Ulva
- **\*** Spirogyra
- 9. Give an account of the salient features of Phaeophyceae.
- 1. Phaeophyceae is a class of *brown algae* bearing *fucoxanthin* pigment.
  - 2. They are mostly *marine*.
- 3. *Pleurocladia* is a fresh water form.
  - 4. Thallus may be
    - 1. Filamentous Ectocarpus
    - 2. Frond like Dictyota
    - 3. Giant kelps Laminaria, Macrocystis
  - 5. Thallus is differentiated into
    - 1. Frond Leaf like photosynthetic part

- 2. Stipe Stalk like structure
- 3. Holdfast Root like structure which attaches thallus to the substratum
- 6. The pigments include
  - 1. Chlorophyll- a,c
  - 2. Carotenoids
  - 3. Xanthophylls
  - 4. Fucoxanthin
- 7. *Fucoxanthin* is a *golden brown* pigment.
- 8. It gives shades of colour from *olive green* to *brown*.
- 9. *Mannitol* and *Laminarin* are the *reserve food* materials.
- 10. *Motile reproductive structures* are present.
- 11. *Two* laterally inserted *unequal flagella* are present.
  - 1. Whiplash flagellum
  - 2. Tinsel flagellum
- 12. Sexual reproduction is mostly *oogamous*.
  - 13. Life cycle may be of
    - 1. Isomorphic type
    - 2. Heteromorphic type
    - 3. Diplontic type
- 14. Alternation of generation is present.
  - Eg. Sargassum
    - ♦ Laminaria
    - Fucus
    - ◆ Dictyota
- 10. List out the salient features of Rhodophyceae

- 1. Rhodophyceae is a class of *red algae* containing *red pigment*.
- 2. The members of this class are also called *Red algae*.
  - 3. They are mostly *marine*.
  - 4. The thallus may be
  - 1. Unicellular Porphyridium
  - 2. Multicellular Polysiphonia
  - 3. Filamentous Goniotrichum
  - 4. Ribbon like Porphyra
- 5. They may be *microscopic* or *macroscopic*.
- 6. Some species are heavily impregnated with lime and form *coral reefs*.

Eg. • Corallina

- ♦ Lithothamnion
- 7. The photosynthetic pigments include
  - 1. Chlorophylla
  - 2. R phycoerythrin
  - 3. R phycocyanin
- Asexual reproduction takes place by the production of
  - 1. Monospores
  - 2. Neutral spores
  - 3. Tetraspores
- 8. The storage product is *floridean starch*.
  - 9. Sexual reproduction is *oogamous*.
- 10. Male sex organ is *sperma-tangium*.
- 11. Female sex organ is *carpogo-nium*.
- 12. The *spermatium* fuses with *egg* nucleus to form *zygote*.
- 13. The zygote develops into *carpospores*.



### 14. *Meiosis* occurs during *carpospore*

### formation.

- 15. Life cycle may be
  - 1. Haplontic
  - 2. Diplontic
- 16. Alternation of generation is

#### present.

- *Eg.* ◆ *Ceramium*
- ◆ Cryptonemia
- ◆ Polysiphonia ◆ Gigartina
- Gelidium
- 11. Give an account of the economic importance of algae.

Name of the Algae	<b>Economic Importance</b>
Beneficial Activities	
1. Chlorella, Laminaria, Sarga- ssum, Ulva, Enteromorpha	1. Food
2. Gracilaria, Gelidiella, Gigar- tina	2. Agar Agar - Cell wall material used for media preparation in the microbiology lab.  Packing canned food, cosmetic, textile paper industry.
3. Chondrus crispus	3. Carrageenan - Preparation of tooth paste, paint, blood coagulant.
4. Laminaria, Ascophyllum	4. Alginate - ice cream, paints, flame proof fabrics.
5. Laminaria, Sargassum, Ascophyllum, Fucus	5. Fodder
6. Diatom (Siliceous frustules)	6. Diatomaceous earth - water filters, insulation material, reinforcing agent in concrete and rubber.
7. Lithophyllum, Chara, Fucus	7. Fertilizer
8. Chlorella	8. Chlorellin -Antibiotic
9. Chlorella, Scenedesmus,	9. Sewage treatment, Pollution
Chlamydomonas	indicators
Harmful Activity	
1. Cephaleuros virescens	1. Red rust of coffee

## 12. List out the general characteristics of Bryophytes

1. Bryophytes are simplest, first *land inhabiting cryptogams* and are

restricted to moist, shady habitat.

2. They are most primitive plant groups descendent from algae-like ancestors.

- 3. They are called 'non-vascular cryptogams' and also as 'amphibians of plant kingdom'.
- 4. They belong to the kingdom, *Plantae*.
  - 5. Eukaryotic.
- 6. The plant body is haploid (n) *gametophyte*.
  - 7. Plant body is called *thallus*.
- 8. It is *not differentiated* into root, stem and leaves.
- 9. Most of them are *primitive land dwellers*.
  - 10. Some bryophytes are aquatic.

*Eg.* ♦ *Riella* 

• Ricciocarpus

11. Thalloid forms are present in

Eg. ♦ Liverworts

♦ Hornworts

- 12. In *Mosses, leaf like, stem like* structures are *present*.
- 13. Thallus grows *prostate* on the ground and is attached to the substratum using *rhizoids*.
- 14. *Two* types of *rhizoids* are present.
  - 1. Smooth walled
  - 2. Pegged




Fig.2.16: Pegged and smooth walled Rhizoids

- 15. Multicellular *scales* are *present*.
- 16. Xylem and phloem are absent.




Fig.2.17: Tubers-Anthoceros

- 17. Vegetative reproduction takes place by the formation of
  - 1. Adventitious buds
    - Riccia fluitans
  - 2. Tubers Anthoceros
  - 3. Small detachable branches or *Bryopteris* brood bodies *fruticulosa*
  - 4. Gemmae Marchantia




Fig.2.18: Gemmae - Marchantia 5. Fragmentation - Riccia




Fig.2.19: Fragmentation-Riccia

- 18. Sexual reproduction is *oogamous*.
- 19. Antheridia and archegonia are *multicellular*.
- 20. *Antheridium* is the *male* reproductive organ.
- 21. *Archegonium* is the *female* reproductive organ.
  - 22. Archegonium contains an egg.
- 23. *Antheridia* produce biflagellate *antherozoids*.
- 24. They swim in thin film of water and reach the *archegonium*.
- 25. Antherozoid fuses with the egg to form diploid *zygote* (2n).
- 26. *Water* is *essential* for fertilization.
- 27. The *zygote* is the *first* cell of the *sporophyte generation*.
- 28. The *sporophyte* is *dependent* on *gametophyte*.
- 29. The sporophyte is differentiated into three parts namely:
  - 1. Foot
  - 2. Seta
  - 3. Capsule.
- 30. The *haploid gametophytic* phase alternates with *diploid sporophyte*.
- 31. The Bryophytes show *heterologous* alternation of generation. 13. Describe the process of sexual reproduction in bryophytes.
- 1. In Bryophytes, sexual reproduction is of *oogamous* type.
- 2. *Antheridium* is the *male* reproductive organ.

- 3. *Archegonium* is the *female* reproductive organ.
- 4. Antheridia and archegonia are *multicellular*.
- 5. Archegonia contain the *female gamete* (*egg*)
- 6. *Antheridia* produce biflagellate *antherozoids*.
- 7. Water is essential for fertilization.
- 8. Antherozoids *swim* in thin film of water and *reach* the *archegonium*.
- 9. Antherozoids fuse with the egg to form diploid *zygote*.
- 10. The *zygote* is the *first* cell of the *sporophyte*.
- 11. Zygote undergoes mitotic division to form multicellular, undifferentiated *embryo*.
- 12. The *first* division of the zygote is *transverse*.
- 13. The apex of the embryo develops from the outer cell.
- 14. The embryo divides and gives rise to sporophyte.
- 14. Describe the sporophyte in Bryophytes.
- 1. Sporophyte is the *spore producing phase* of Bryophytes.
  - 2. It is *diploid*.
  - 3. It develops from *zygote*.
- 4. The *sporophyte* is *inconspicuous* and *short-lived*.
- 5. It is *dependent* on the *gametophyte*.
- 6. It is differentiated into three parts:

- 1. Foot
- 2. Seta
- 3. Capsule or sporangium
- 7. *Foot* is the *basal* portion of the sporophyte.
- 8. It is *embedded* in the *gametophyte* through which water and nutrients are supplied for the sporophyte.
  - 9. **Seta** is the **stalk** of sporophyte
- 10. *Capsule* contains spore mother cells.
- 11. Spore mother cell undergoes *meiotic* division

- 12. *Haploid spores* are formed.
- 13. In some sporophytes, *elaters* are present.
- 14. *Elaters* help in *dispersal* of spores.

Eg. Marchantia

- 15. The spores germinate to produce *gametophyte*.
- 16. The zygote, embryo and the sporangium constitute sporophytic phase.
- 15. Describe the life cycle in bryophytes




Fig. 2.20: Life cycle in Bryophytes.

- 1. *Haplodiplontic* life cycle
- 3. Bryophytes reproduce in two
- 2. Dominant phase is haploid ways:
- gametophyte (n).

1. Vegetative reproduction



- 2. Sexual reproduction
- 4. Bryophytes reproduce *vegetatively* by the following means:
  - 1. Adventitious buds
    - Riccia fluitans
  - 2. Tubers Anthoceros
  - 3. Detachable branches
    - Bryopteris fruticulosa
  - 4. Gemmae Marchantia
- 5. Sexual reproduction is of *oogamous type*.
- 6. Antheridia and archegonia are *multicellular*.
- 7. They are produced in a *protective* covering.
- 8. The antheridium produces biflagellate *antherozoids*.
- 9. *Antherozoids swim* in *thin film of water* and reach the archegonia.
- 10. Antherozoids fuse with egg to form *diploid zygote* (2n).
- 11. The diploid zygote undergoes *mitosis* to form multicellular undifferentiated *embryo*.
- 12. Embryo divides and gives rise to *sporophyte*.
- 13. Sporophyte is differentiated into the following:
  - 1. Foot
- 3. Capsule
- 2. Seta
- 14. Diploid spore mother cells present in the capsule undergo *meiosis* to give rise to *haploid spores* (n).
- 15. The *spores germinate* to produce *gametophyte* (n).

- 16. Describe the economic importance of Bryophytes.
- 1. The accumulated, compressed, hardened *dead thallus* of *Sphagnum* is called *peat*.
- 2. Peat is used as *fuel* in commercial scale.
- 3. Following are derived from the peat:
  - 1. Nitrates
  - 2. Brown dye
  - 3. Tanning materials
- 4. It is also used as *packing material* in horticulture because of their water holding capacity.
- 5. *Pulmonary tuberculosis* can be cured using *Marchantia polymorpha*.
  - 6. Bryophytes can be used as food.

*Eg.* ◆ *Sphagnum* 

- ◆ Bryum
- Polytrichum
- 7. They play a major role in *soil* formation through succession.
  - 8. They help in *soil conservation*.
- 17. What are the salient features of pteridophytes?
- 1. *Flowerless, seedless*, spore bearing *vascular cryptogams*.
  - 2. *Small herbaceous* plants.
- 3. Grow well in *moist, cool* and *shady places* where water is available.
- 4. The *plant body* is diploid *sporophyte* (2n) and it is the **dominant** phase.
- 5. It is differentiated into the following:

- 1. Root 2. Stem
- 3. Leaves
- 6. Roots are adventitious.
- 7. Stem shows *two* types of *branching*.
  - 1. Monopodial branching
    - Selaginella
  - 2. Dichotomous branching
    - Adiantum
  - 8. Leaves are of *two* types:
    - 1. Microphyllous Selaginella
    - 2. Megaphyllous Pteris
- 9. Stele is *protostele*, but siphonostele is present in *Marsilea*.
- 10. The major water conducting elements are the *tracheids*.
- 11. In *Selaginella*, *vessels* are found.
- 12. *Sporophylls* are special leaves as they bear *sporangia*.
- 13. *Sporangia* are spore bearing bag like structures.
- 14. Sporophylls organize to form *cone* or *strobilus*.

Eg. Selaginella, Equisetum

- 15. Pteridophytes may be
- 1. Homosporous- produce one type of spores. Eg- Lycopodium
- 2. Heterosporous- produce two types of spores. Eg Selaginella
- 16. *Heterospory* is the origin for seed habit.
- 17. Development of sporangia may be
- 1. Eusporangiate development of sporangium from group of initials Eg. Selaginella

- 2.Leptosporangiate-development of sporangium from single initial. Eg. Adiantum
- 18. Spore mother cells undergo *meiosis* and produce *spores* (n).
- 19. Spore germinates to produce a haploid *gametophyte* called *prothallus*.
- 20. The prothallus has the following characters:
  - Multicellular
  - Green coloured
  - Cordate shaped
  - Independent
- 21. Vegetative reproduction takes place through
  - 1. Fragmentation
  - 2. Resting buds
  - 3. Root tubers
  - 4. Adventitious buds
- 22. Sexual reproduction is *oogamous*.
- 23. **Sex organs** are produced on the **prothallus**.
- 24. **Water** is essential for **fertilization**.
- 25. A diploid *zygote* is formed as a result of fertilization.
- 26. Zygote undergoes *mitosis* to form *embryo*.
  - 27. Pteridophytes show
    - 1. Apogamy
    - 2. Apospory
- 18. Describe sexual reproduction in pteridophytes.
- 1. In pteridophytes, sexual reproduction is *oogamous*.



- 2. Sexual reproduction takes place in gametophytes.
- 3. *Antheridium* is the *male* sex organ.
- 4. *Archegonium* is the *female* sex organ.
- 5. Antheridium and archegonium *fertilization*. are produced on the *prothallus*. 12. Anth
- 6. Antheridium produces spirally coiled and multiflagellate antherozoids.
  - 7. Archegonium is flask shaped.
  - 8. Archegonium has
    - 1. Broad venter

- 2. Elongated narrow neck
- 9. The *venter* possesses *egg* or *ovum*.
- 10. Neck contains neck canal cells.
- 11. **Water** is essential for *fertilization*.
- 12. Antherozoid fuses with egg to form diploid *zygote*.
- 13. **Zygote** undergoes **mitosis** to form **embryo**.
- 19. Give an account of the economic importance of Pteridophytes.

Pteridophyte	Uses
1. Rumohra adiantiformis	1. Cut flower arrangements
(leather leaf fern)	
2. Marsilea	2. Food
3. Azolla	3. Biofertilizer
4. Dryopteris filix–mas	4. Treatment for tapeworm.
5. Pteris vittata	5. Removal of heavy metals from soils - Bioremediation
6. Pteridium sp.	6. Leaves yield green dye
7. Equisetum sp.	7. Stems for scouring
8. Psilotum, Lycopodium,	8. Ornamental plants
Selaginella, Angiopteris,	
Marattia	

- 20. Describe the life cycle in pteridophytes
- 1. Life cycle of pteridophytes have both *sporophytic phase* and *gametophytic phase*.
  - 2. It is of *haplodiplontic* type.
- 3. Hence, the life cycle of pteridophytes involves the *alternation of generation*.
- 4. Dominant phase is the *diploid sporophyte* (2n).
- 5. Sporophytes reproduce by the following two methods:
  - 1. Vegetative reproduction
  - 2. Asexual reproduction.
- 6. Vegetative reproduction takes place by
  - ◆ Fragmentation

- Formation of resting buds
- ◆ Formation of root tubers
- Formation of adventitious buds
- 7. As exual reproduction takes place by *spores*.
- 8. Pteridophytes may be *homosporous* or *heterosporous*.
  - 9. Sporophytes produce *sporangia*.
- 10. Sporangia are spore bearing structures borne on special leaves called *sporophylls*.

- 11. Spore mother cells are present in the *sporangia*.
- 12. Spore mother cells (2n) undergo meiosis and produce *spores* (n).
- 13. Spore germinates to produce haploid *prothallus*.
  - 14. The prothallus is
    - Independent
    - Multicellular
    - Cordate shaped
    - Green coloured gametophytes.




Fig.2.21: Life cycle in Pteridophytes



- 15. Gametophyte reproduces sexually.
- 16. Sexual reproduction is *Oogamous*.
- 17. Sex organs, namely *antheridium* and *archegonium* are produced on the prothallus.
- 18. Antheridium produces spirally coiled and multiflagellate *antherozoids*.
- 19. Archegonium produces *egg* or ovum.
- 20. Antherozoids *swim* in water and reach the *egg* and *fuse* with it to form *zygote*.
  - 21. Zygote is *diploid* (2n)
- 22. It undergoes *mitosis* and forms *embryo*.
- 23. Embryo develops into sporophyte (2n).
- 24. The independent *sporophyte* alternates with the multicellular gametophyte.
- 25. So, the life cycle is *haplodiplontic*.

#### 21. Define eustele

- 1. The stele is split into *distinct collateral vascular bundles* around the pith.
- 2. It is a type of *siphonostele* with *pith* in the center.
- 3. Xylem and phloem lie in the *same radius*.
- 4. *Phloem* is seen towards the *periphery* of the stem.
- 5. **Xylem** is seen towards the **center**.

Eg. Dicot stem




Fig.2.22: Eustele.

- 22. Write short notes on the general characteristic features of Gymnosperms.
- 1. Gymnosperms are phanerogams with *naked seeds*.

Gymnos = naked

Sperma = seed

- 2. They are included in the *kingdom plantae* 
  - 3. Eukaryotic
  - 4. They may be
    - 1. Evergreen woody trees
      - Pinus
    - 2. Shrubs Ephedra
    - 3. Lianas Gnetum
- 5. They are distributed throughout the *temperate* and *tropical regions* of the world.
- 6. The plant body is *sporophyte*. It is differentiated into the following:
  - \* Root \* Leaves
  - \* Stem
- 7. A well developed *tap root* system is present.
- 8. In coralloid roots of *Cycas*, *Nostoc*, a *blue green alga* is seen.
  - 9. *Mycorrhiza* is present in *Pinus*.
  - 10. The stem is

- 1. Aerial
- 2. Erect
- 3. a) Branched Pinus b) Unbranched Cycas
- 4. With leaf scars
- 11. **Two** types of **branches** are seen in **conifers**. They are
- 1. Dwarf shoot branches of limited growth
- 2. Long shoot branches of unlimited growth
  - 12. *Leaves* are of *two* types. They are
    - 1. Foliage leaves
    - 2. Scale leaves
- 13. Foliage leaves are *green*, *photosynthetic* and are borne on branches of limited growth.
- 14. Scale leaves are *dark*, *brown*, *thin* and *small* and are borne on both, *long* and *dwarf shoots*.
  - 15. Xylem consists of tracheids.
- 16. In *Gnetum* and *Ephedra*, vessels are present.
  - 17. Secondary growth is present.
  - 18. *Wood* is of *two* types.
    - 1. Manoxylic Cycas
    - 2. Pycnoxylic Pinus
- 19. They are *heterosporous* i.e., they produce *two* types of spores.
  - 20. The plant may be
    - 1. Monoecious Pinus
    - 2. Dioecious Cycas
- 21. *Microsporophyll* or *male cone* produces the *microsporangia*.
- 22. *Megasporophyll* or *female cone* produces the *megasporangia*.
- 23. *Anemophilous pollination* is present.

- 24. Fertilization is *siphonogamous*.
- 25. **Pollen tube** helps in the transfer of male nuclei.
  - 26. *Polyembryony* is present.
  - 27. The *naked ovule* develops into *seed*.
- 28. The *endosperm* is *haploid* and develops *before fertilisation*.
- 29. The life cycle shows alternation of generation.
- 30. The sporophytic phase is *dominant*.
- 31. The gametophytic phase is highly *reduced*.
- 23. Give the similarities between Gymnosperms and Angiosperms.
- 1. The plant body is well organized.
- 2. It is differentiated into *roots*, *stem* and *leaves*.
- 3. *Polyembryony* is present. i.e., presence of many embryos.
- 4. The naked ovule develops into *seed*.
- 5. The life cycle shows *alternation of generation*.
- 6. The *sporophytic* phase is *dominant* and *gametophytic* phase is highly *reduced*.
- 7. *Cambium* is *present* in gymnosperms as in dicotyledons.
- 8. **Zygote** represents the **first cell** of **sporophyte**.
- 9. The male flower of angiosperm resembles the flowers in *Gnetum*.
- 10. An *integument* is *present* around the ovule.



- 11. In both, *pollen tube* helps in the transfer of *male nucleus*.
- 12. Eustele is present i.e, the stele is divided into *distinct collateral vascular bundles* around the pith.
- 24. Differentiate Gymnosperms from Angiosperms.

Gymnosperms	Angiosperms
1. Vessels are absent	1. Vessels are <i>present</i> .
[except Gnetales].	
2. Phloem lacks companion	2. Companion cells are <i>present</i> .
cells.	
3. Ovules are naked.	3. Ovules are <i>enclosed</i> within the <i>ovary</i> .
4. Wind pollination only.	4. Insects, wind, water, animals etc.,
	act as pollinating agents.
5. <b>Double fertilization</b> is	5. Double fertilization is <i>present</i> .
absent.	
6. <i>Endosperm</i> is <i>haploid</i> .	6. Endosperm is <i>triploid</i> .
7. Fruit formation is absent.	7. Fruit formation is <i>present</i> .
8. Flowers absent.	8. Flowers <i>present</i> .

- 25. Give the names of the fossil representatives of different plant groups.
  - 1. Fossil algae
    - 1. Palaeoporella
      - 2. Dimorphosiphon
  - 2. Fossil bryophytes
    - 1. Naiadita
      - 2. Hepaticites
      - 3. Muscites
  - 3. Fossil pteridophytes
    - 1. Cooksonia
      - 2. Rhynia
      - 3. Baragwanthia
      - 4. Calamites
  - 4. Fossil gymnosperms
    - 1. Medullosa
      - 2. Lepidocarpon
      - 3. Williamsonia
      - 4. Lepidodendron

- 5. Fossil angiosperms
  - 1. Archaeanthus
    - 2. Furcula
- 26. Give an account of the salient features of Angiosperms.
- 1. Angiosperms are *phanerogams* with *closed seeds*.

Angio - Vessel

Sperms - Seed

- 2. It is included in the *kingdom Plantae*.
  - 3. Eukaryotic
  - 4. *Flowering* plants.
  - 5. Fruit producing plants.
  - 6. Major group of land plants.
- 7. The *sporophyte* is the *dominant* phase and *gametophyte* is highly *reduced*.
- 8. *Vascular tissue* i.e, *xylem* and *phloem* is well developed.

- 9. *Flowers* are produced instead of cone.
  - 10. *Ovule* is *enclosed* in the ovary.
- 11. **Pollen tube** helps in **fertilization**; so water is not essential for fertilization.
  - 12. Double fertilization occurs.
- 13. *Endosperm* is formed after fertilization and is *triploid*.
- 14. Based on the number of cotyledons in the seed, angiosperms are classified into
  - 1. Dicotyledons- two cotyledons
  - 2. Monocotyledons- one cotyledon
- 27. Write a note on the salient features of Dicotyledons
- 1. Dicotyledons are *flowering* plants with two cotyledons in the seed.
  - 2. **Reticulate venation** in the **leaves**.
  - 3. Roots develop from the *radicle*.
  - 4. Tap root system.
- 5. Flowers are tetramerous or pentamerous.

- 6. *Tricolpate* pollen 3 furrows.
- 7. The *vascular bundles* are arranged in the form of a *ring*.
- 8. *Cambium* is *present* and so vascular bundles are *open*.
  - 9. Secondary growth occurs.
- 28. Write an account on the salient features of Monocotyledons.
- 1. Monocotyledons are *flowering plants* with a *single cotyledon* in the seed.
  - 2. Parallel venation in the leaves.
  - 3. *Radicle* does not persist.
  - 4. Fibrous root
  - 5. Flowers are trimerous
  - 6. Monocolpate pollen 1 furrow.
- 7. Vascular bundles are scattered in the stem.
- 8. *Cambium* is *absent* and so vascular bundles are *closed*.
  - 9. Secondary growth does not occur
- 29. Distinguish between dicotyledons and monocotyledons.

Diagtyledons	Monogotyledons
Dicotyledons	Monocotyledons
1. Two cotyledons.	One cotyledon.
2. Radicle persists.	Radicle doesn't persist.
3. Tap root	Fibrous root
4. Reticulate venation	Parallel venation.
5. Tetramerous or	<i>Trimerous</i> flowers.
pentamerous flowers.	
6. Ring like vascular bundles	Scattered vascular bundles
7. Cambium is present.	Cambium is <i>absent</i> .
8. Open vascular bundles	Closed vascular bundles
9. Tricolpate pollen.	Monocolpate pollen.
10. Secondary growth occurs	Secondary growth does not occur
eg. Grasses	eg. Hibiscus